

Exponential Synchronization for Fractional-order Time-delayed Memristive Neural Networks

Ding Dawei¹, Zhang Yaqin² and Wang Nian^{3*}

School of Electronics and Information Engineering, Anhui University

Hefei, 230601, China

¹e-mail: dwding@ahu.edu.cn

²e-mail: 1970359758@qq.com

^{3*}e-mail: wn_xlb@ahu.edu.cn

Abstract—Considering the fact that the exponential synchronization of neural networks has been widely used in theoretical research and practical application of many scientific fields, and there are a few researches about the exponential synchronization of fractional-order memristor-based neural networks (FMNN). This paper concentrates on the FMNN with time-varying delays and investigates its exponential synchronization. A simple linear error feedback controller is applied to compel the response system to synchronize with the drive system. Combining the theories of differential inclusions and set valued maps, a new sufficient condition concerning exponential synchronization is obtained based on comparison principle rather than the traditional Lyapunov theory. The obtained results extend exponential synchronization of integer-order system to fractional-order memristor-based neural networks with time-varying delays. Finally, some numerical examples are used to demonstrate the effectiveness and correctness of the main results.

Keywords-Exponential Synchronization; Memristor-based Neural Networks; Fractional-order; Linear Error Feedback Control; Time-varying Delays.

I. INTRODUCTION

Chua already supposed the existence of memristor in 1971 [1], however, the practical device of memristor in electronics is obtained in [2] until 2008. In addition to the existing three kinds of circuit elements, memristor is

regarded as the fourth basic circuit element and is defined by a nonlinear charge-flux characteristic. As everyone knows, resistors can be used to work as connection weights so that it can emulate the synapses in artificial neural networks. However, in the neural networks of biological individual, long-term memories is essential in the synapses among neurons, but for the general resistors, it is impossible to have the function of memory. Recently, due to the memory characteristics of memristor, memristor can replace the resistor to develop a new neural networks that is memristor-based neural networks (MNN) [3-6].

In recent years, more and more attentions have been put on the dynamical analysis of memristor-based neural networks, such as the investigation of stability [7-10], periodicity [11-13], system synchronization [14-22], passivity analysis [23], dissipativity [24-25] and attractivity [26]. Particularly, the stability and synchronization of MNN has been widely studied in [27-30]. In fact, synchronization means the dynamics of nodes share the common time-spatial property. Therefore we can understand an unknown dynamical system by achieving the synchronization with the well-known dynamical systems [18]. Moreover, in the transmission of digital signals, communication will become security, reliable and secrecy by achieving synchronization between the various systems. Therefore, the synchronization of MNN is still worth further research.

Moreover, the fractional-order models can better describe the memory and genetic properties of various

materials and process, so the fractional-order models have received a lot of research attentions than integer-order models. In recent years, with the improvement of fractional-order differential calculus and fractional-order differential equations, it is easy to model and analyze practical problems [31, 32]. Therefore, there have been a lot of researches about the dynamical analysis and synchronization of fractional-order memristor-based neural networks (FMNN) [34-39]. Finite-time synchronization, hybrid projective synchronization and adaptive synchronization of FMNN have all been researched [34-36]. However, there are only a very few research results on exponential synchronization of FMNN. In fact, the exponential synchronization of neural networks has been widely used in the theoretical research and practical application of many scientific fields, for example, associative memory, ecological system, combinatorial optimization, military field, artificial intelligence system and so on [40-43]. So the exponential synchronization of FMNN is still worth further studying as it is a significant academic problem.

On the other hand, the stability and synchronization of FMNN without time delay have been deeply studied such as in [33]. However, in hardware implementation of neural networks, time delay is unavoidable owing to the finite switching speeds of the amplifiers. And it will cause instability, oscillation and chaos phenomena of systems. So the investigation for stability and synchronization of FMNN cannot be independent on the time delay.

Motivated by the above discussion, this paper studies the exponential synchronization of FMNN with time-varying delays. The main contributions of this paper can be listed as follow. (1) This is the first attempt to achieve exponential synchronization of FMNN with time-varying delays by employing a simple linear error feedback controller. (2) The sufficient condition for exponential synchronization of FMNN with time delays is obtained based on comparison principle instead of the traditional Lyapunov theory. (3) Some previous research results of exponential

synchronization for integer-order memristor-based system are the special cases of our results. Furthermore, some numerical examples are given to demonstrate the effectiveness and correctness of the main results.

The rest of this paper is organized as follows. Preliminaries including the introduction of Caputo fractional-order derivative, model description, assumptions, definitions and lemmas are presented in Section 2. Section 3 introduces the sufficient condition for exponential synchronization of the FMNN. In Section 4, the numerical simulations are presented. Section 5 gives the conclusion of this paper.

II. PRELIMINARIES

Compared to the integer-order derivatives, we know the distinct advantage of Caputo derivative is that it only requires initial conditions from the Laplace transform of fractional derivative, and it can represent well-understood features of physical situations and making it more applicable to real world problems [36]. So in the rest of this paper, we apply the Caputo fractional-order derivative for the fractional-order memristor-based neural networks (FMNN) and investigate the exponential synchronization of FMNN.

A. The Caputo fractional-order derivative

Definition 1 [32] The Caputo fractional-order derivative is defined as follows:

$$D_t^q f(t) = \frac{1}{\Gamma(m-q)} \int_{t_0}^t \frac{f^{(m)}(\tau)}{(t-\tau)^{q-m+1}} d\tau, \quad (1)$$

where q is the order of fractional derivative, m is the first integer larger than q , $m-1 \leq q < m$, $\Gamma(\cdot)$

is the Gamma function,

$$\Gamma(x) = \int_0^{\infty} t^{x-1} e^{-t} dt. \quad (2)$$

Particularly, when $0 < q < 1$,

$$D_t^q f(t) = \frac{1}{\Gamma(1-q)} \int_{t_0}^t \frac{f'(\tau)}{(t-\tau)^q} d\tau. \tag{3}$$

$$D^q x_i(t) = -c_i x_i(t) + \sum_{j=1}^n a_{ij}(x_j(t)) f_j(x_j(t)) + \sum_{j=1}^n b_{ij}(x_j(t-\tau_j(t))) g_j(x_j(t-\tau_j(t))) + I_i, \\ t \geq 0, i \in N.$$

$$a_{ij}(x_j(t)) = \frac{M_{ij}}{C_i} \times \delta_{ij}, \quad b_{ij}(x_j(t-\tau_j(t))) = \frac{W_{ij}}{C_i} \times \delta_{ij}, \quad \delta_{ij} = \begin{cases} 1, & i \neq j, \\ -1, & i = j, \end{cases} \tag{4}$$

where $x_i(t)$ is the state variable of the i th neuron (the voltage of capacitor C_i), q is the order of fractional derivative, $c_i > 0$ is the self-regulating parameters of the neurons, $0 \leq \tau_j(t) \leq \tau$ and (τ is a constant) represents the transmission time-varying delay. $f_j, g_j : R \rightarrow R$ are feedback functions without and with time-varying delay. $a_{ij}(x_j(t))$ and $b_{ij}(x_j(t-\tau_j(t)))$ are memristive connective weights, which denote the neuron

B. Model description

In this paper, referring to some relevant works on FMNN [35,36], we consider a class of FMNN with time-varying delays described by the following equation,

interconnection matrix and the delayed neuron interconnection matrix, respectively. W_{ij} and M_{ij} denote the memductances of memristors R_{ij} and F_{ij} respectively. And R_{ij} represents the memristor between the feedback function $f_i(x_i(t))$ and $x_i(t)$, F_{ij} represents the memristor between the feedback function $g_i(x_i(t-\tau_i(t)))$ and $x_i(t)$. I_i represents the external input. According to the feature of memristor, we denote

$$a_{ij}(x_j(t)) = \begin{cases} \tilde{a}_{ij}, & x_j(t) \leq 0, \\ \check{a}_{ij}, & x_j(t) > 0, \end{cases} \quad b_{ij}(x_j(t-\tau_j(t))) = \begin{cases} \tilde{b}_{ij}, & x_j(t-\tau_j(t)) \leq 0, \\ \check{b}_{ij}, & x_j(t-\tau_j(t)) > 0. \end{cases} \tag{5}$$

C. Assumptions, Definitions and Lemmas

In the rest of paper, we first make following assumption for system (4).

Assumption1: For $j \in N, \forall s_1, s_2 \in R$, the neuron activation functions f_j, g_j bounded, $f_j(0) = g_j(0) = 0$ and satisfy

$$0 \leq \frac{f_j(s_1) - f_j(s_2)}{s_1 - s_2} \leq \sigma_j,$$

$$0 \leq \frac{g_j(s_1) - g_j(s_2)}{s_1 - s_2} \leq \rho_j,$$

(6)

where $s_1 \neq s_2$ and σ_j, ρ_j are nonnegative constants.

We consider system (4) as drive system and corresponding response system is given as follows:3

$$D^q y_i(t) = -c_i y_i(t) + \sum_{j=1}^n a_{ij}(y_j(t)) f_j(y_j(t)) + \sum_{j=1}^n b_{ij}(y_j(t - \tau_j(t))) g_j(y_j(t - \tau_j(t))) + I_i + u_i,$$

$$t \geq 0, i \in N,$$

(7)

Where

$$a_{ij}(y_j(t)) = \begin{cases} \hat{a}_{ij}, & y_j(t) \leq 0, \\ \tilde{a}_{ij}, & y_j(t) > 0, \end{cases} \quad b_{ij}(y_j(t - \tau_j(t))) = \begin{cases} \hat{b}_{ij}, & y_j(t - \tau_j(t)) \leq 0, \\ \tilde{b}_{ij}, & y_j(t - \tau_j(t)) > 0, \end{cases}$$

(8)

and $u_i(t)$ is a liner error feedback control function which

$$e(t) = (e_1(t), e_2(t), \dots, e_n(t))^T,$$

where

defined by $u_i(t) = \omega_i (y_i(t) - x_i(t))$,

$e_i(t) = y_i(t) - x_i(t)$. According to the system (4) and

where $\omega_i, i \in N$ are constants, which denotes the control

system (7), the synchronization error system can be

described as follows:

gain. Next, we define the synchronization error $e(t)$ as

$$D^q e_i(t) = -c_i e_i(t) + \left[\sum_{j=1}^n a_{ij}(y_j(t)) f_j(y_j(t)) - \sum_{j=1}^n a_{ij}(x_j(t)) f_j(x_j(t)) \right]$$

$$+ \left[\sum_{j=1}^n b_{ij}(y_j(t - \tau_j(t))) g_j(y_j(t - \tau_j(t))) - \sum_{j=1}^n b_{ij}(x_j(t - \tau_j(t))) g_j(x_j(t - \tau_j(t))) \right]$$

$$+ u_i(t), t \geq 0, i \in N$$

(9)

where

According to the theories of differential inclusions and

$a_{ij}(y_j(t)), b_{ij}(y_j(t - \tau_j(t))), a_{ij}(x_j(t)), b_{ij}(x_j(t - \tau_j(t)))$ set valued maps [40], if $x_i(t)$ and $y_i(t)$ are solutions of (4)

are the same as those defined above,

and (7) respectively, system (4) and system (7) can be

$u_i(t) = \omega_i (y_i(t) - x_i(t)) = \omega_i e_i(t)$, where $\omega_i, i \in N$

written as follow:

are constants, which denotes the control gain.

$$\begin{aligned}
 D^q x_i(t) &\in -c_i x_i(t) + \sum_{j=1}^n \text{co} [a_{ij}(x_j(t))] f_j(x_j(t)) \\
 &+ \sum_{j=1}^n \text{co} [b_{ij}(x_j(t-\tau_j(t)))] g_j(x_j(t-\tau_j(t))) + I_i, t \geq 0, i \in N
 \end{aligned}
 \tag{10}$$

And

$$\begin{aligned}
 D^q y_i(t) &\in -c_i y_i(t) + \sum_{j=1}^n \text{co} [a_{ij}(y_j(t))] f_j(y_j(t)) \\
 &+ \sum_{j=1}^n \text{co} [b_{ij}(y_j(t-\tau_j(t)))] g_j(y_j(t-\tau_j(t))) + I_i + u_i, t \geq 0, i \in N,
 \end{aligned}
 \tag{11}$$

Where

$$\text{co} [a_{ij}(x_j(t))] = \begin{cases} \hat{a}_{ij}, x_j(t) < 0, \\ \text{co} \{ \hat{a}_{ij}, \check{a}_{ij} \}, x_j(t) = 0, \\ \check{a}_{ij}, x_j(t) > 0, \end{cases} \quad \text{co} [a_{ij}(y_j(t))] = \begin{cases} \hat{a}_{ij}, y_j(t) < 0 \\ \text{co} \{ \hat{a}_{ij}, \check{a}_{ij} \}, y_j(t) = 0 \\ \check{a}_{ij}, y_j(t) > 0 \end{cases}
 \tag{12}$$

And

$$\begin{aligned}
 \text{co} [b_{ij}(x_j(t-\tau(j)))] &= \begin{cases} \hat{b}_{ij}, x_j(t-\tau(j)) < 0, \\ \text{co} \{ \hat{b}_{ij}, \check{b}_{ij} \}, x_j(t-\tau(j)) = 0, \\ \check{b}_{ij}, x_j(t-\tau(j)) > 0, \end{cases} \\
 \text{co} [b_{ij}(y_j(t-\tau(j)))] &= \begin{cases} \hat{b}_{ij}, y_j(t-\tau(j)) < 0, \\ \text{co} \{ \hat{b}_{ij}, \check{b}_{ij} \}, y_j(t-\tau(j)) = 0, \\ \check{b}_{ij}, y_j(t-\tau(j)) > 0, \end{cases}
 \end{aligned}
 \tag{13}$$

where $\text{co}\{u, v\}$ denotes the closure of convex hull generated by real numbers u and v or real matrices u and v .

Then the synchronization error system can be described as follows:

$$\begin{aligned}
D^2 e_i(t) &\in -c_i e_i(t) + \left\{ \sum_{j=1}^n co \left[a_{ij}(y_j(t)) \right] f_j(y_j(t)) - \sum_{j=1}^n co \left[a_{ij}(x_j(t)) \right] f_j(x_j(t)) \right\} \\
&+ \left\{ \sum_{j=1}^n co \left[\tilde{b}_{ij}(y_j(t-\tau_j(t))) \right] g_j(y_j(t-\tau_j(t))) \right. \\
&\left. - \sum_{j=1}^n co \left[\tilde{b}_{ij}(x_j(t-\tau_j(t))) \right] g_j(x_j(t-\tau_j(t))) \right\} + \omega_i e_i, \quad t \geq 0, i \in N.
\end{aligned} \tag{14}$$

Definition2 [8] For $\forall t \geq 0$, the exponential initial condition $e(s) = \phi(s) \in ([t_0 - \tau, t_0], R^n)$ synchronization of system (4) and system (7) can be satisfies

transformed to the exponential stability of the error system (9) (error approaches to zero). The error system (9) is said to

$$|e_i(t)| \leq Q_i \max_{1 \leq i \leq n} \left\{ \sup_{t_0 - \tau \leq s \leq t_0} |\phi(s)| \right\} \exp\{-P_i(t-t_0)\}, \quad t \geq t_0 > 0,$$

be exponentially stable, if there exist $i = 1, 2, \dots, n$, where P_i is called the estimated rate of exponential convergence.

constant $Q_i > 0$, $P_i > 0$, such that the solution

$e(t) = (e_1(t), e_2(t), \dots, e_n(t))^T$ of error system (9) with

Lemma1 [14] Under the assumption1, the following estimation can be obtained:

$$\begin{aligned}
\text{(i)} \quad &co \left[a_{ij}(y_j(t)) \right] f_j(y_j(t)) - co \left[a_{ij}(x_j(t)) \right] f_j(x_j(t)) \leq A_{ij} F_j(e_j(t)), \\
\text{(ii)} \quad &co \left[\tilde{b}_{ij}(y_j(t-\tau_j(t))) \right] g_j(y_j(t-\tau_j(t))) - co \left[\tilde{b}_{ij}(x_j(t-\tau_j(t))) \right] g_j(x_j(t-\tau_j(t))) \\
&\leq B_{ij} G_j(e_j(t-\tau_j(t))),
\end{aligned}$$

$$\text{where } A_{ij} = \max \left\{ |\hat{a}_{ij}|, |\tilde{a}_{ij}| \right\}, B_{ij} = \max \left\{ |\hat{b}_{ij}|, |\tilde{b}_{ij}| \right\}, i, j \in N,$$

$$F_j(e_j(t)) = f_j(y_j(t)) - f_j(x_j(t)), G_j(e_j(t-\tau_j(t))) = g_j(y_j(t-\tau_j(t))) - g_j(x_j(t-\tau_j(t))), j \in N.$$

Proof: If $y_i(t) = 0, x_i(t) = 0, i \in N$ we can easily have part(i) hold. From (9) and(10), we can get

(1) For $y_i(t) < 0, x_i(t) < 0$, then

$$\begin{aligned}
co \left[a_{ij}(y_j(t)) \right] f_j(y_j(t)) - co \left[a_{ij}(x_j(t)) \right] f_j(x_j(t)) &= \hat{a}_{ij} f_j(y_j(t)) - \hat{a}_{ij} f_j(x_j(t)) \\
&= \hat{a}_{ij} F_j(e_j(t)) \leq A_{ij} F_j(e_j(t)).
\end{aligned}$$

(2) For $y_i(t) > 0, x_i(t) > 0$, then

$$co \left[a_{ij}(y_j(t)) \right] f_j(y_j(t)) - co \left[a_{ij}(x_j(t)) \right] f_j(x_j(t)) = \tilde{a}_{ij} f_j(y_j(t)) - \tilde{a}_{ij} f_j(x_j(t))$$

$$= \tilde{a}_{ij} F_j(e_j(t)) \leq A_{ij} F_j(e_j(t)).$$

(3) For $x_i(t) < 0 < y_i(t)$ or $y_i(t) < 0 < x_i(t)$, then

$$\begin{aligned} & \text{co}[a_{ij}(y_j(t))]f_j(y_j(t)) - \text{co}[a_{ij}(x_j(t))]f_j(x_j(t)) \\ &= \tilde{a}_{ij}(f_j(y_j(t)) - f_j(x_j(t))) \\ &\leq A_{ij}(f_j(y_j(t)) - f_j(x_j(t))) = A_{ij}F_j(e_j(t)). \end{aligned}$$

Then complete the proof of part (i). In the similar way, part(ii) can be easily hold.

Theorem1 If there exist positive constant

$\varepsilon, \eta_1, \eta_2, \dots, \eta_n$ such that for any

$$t \geq t_0 > 0, i \in \{1, 2, \dots, n\}$$

III. MAIN RESULTS

We present the exponential stability results for the synchronization error system of FMNN, when the error system (9) is exponentially stable, the system (4) and system (7) will achieve the exponential synchronization.

$$(-c_i + \omega_i + \varepsilon)\eta_i + \sum_{j=1}^n A_{ij}\sigma_j\eta_j + \sum_{j=1}^n B_{ij}\rho_j\eta_j \exp\{\varepsilon\tau_j(t)\} < 0, \quad (15)$$

then the error system (9) is globally exponentially stable.

Proof: Consider $W_i(t) = |e_i(t)|/\eta_i, i = 1, 2, \dots, n$, according to the error system (9) or (14) and lemma1, we can get the following inequality

$$\begin{aligned} D^\alpha e_i(t) &\leq -c_i e_i(t) + \sum_{j=1}^n A_{ij} F_j(e_j(t)) + \sum_{j=1}^n B_{ij} G_j(e_j(t - \tau_j(t))) + \omega_i e_i(t) \\ &= (-c_i + \omega_i) e_i(t) + \sum_{j=1}^n A_{ij} F_j(e_j(t)) + \sum_{j=1}^n B_{ij} G_j(e_j(t - \tau_j(t))). \end{aligned} \quad (16)$$

Evaluating the fractional order derivative of $W_i(t)$ along the trajectory of error system, then

$$\begin{aligned} D^\alpha W_i(t) &\leq (-c_i + \omega_i) |e_i(t)|/\eta_i + 1/\eta_i \left[\sum_{j=1}^n A_{ij} \sigma_j |e_j(t)| + \sum_{j=1}^n B_{ij} \rho_j |e_j(t - \tau_j(t))| \right] \\ &= (-c_i + \omega_i) W_i(t) + 1/\eta_i \left[\sum_{j=1}^n A_{ij} \sigma_j \eta_j W_j(t) + \sum_{j=1}^n B_{ij} \rho_j \eta_j W_j(t - \tau_j(t)) \right]. \end{aligned} \quad (17)$$

Define $\tilde{W}_i(t) = W_i(t) - \bar{W}(t_0) \exp\{-\varepsilon(t - t_0)\}, t \geq t_0 > 0, i = 1, 2, \dots, n$, where

$$\bar{W}(t_0) = \max_{1 \leq i \leq n} \left\{ \sup_{t_0 - \tau \leq s \leq t_0} |e_i(s)| / \eta_i \right\}.$$

We will prove that $\tilde{W}_i(t) \leq 0, i = 1, 2, \dots, n$, for any $t \geq t_0 > 0$. Otherwise, since $\tilde{W}_i(t) \leq 0, i = 1, 2, \dots, n$

for $t \in [t_0 - \tau, t_0]$, there must exist $t_1 \geq t_0$ and some ς such that $D^q \tilde{W}_\varsigma(t_1) \geq 0$ and $\tilde{W}_\varsigma(t_1) = 0$. Then

$$\begin{aligned} D^q \tilde{W}_\varsigma(t_1) &\leq (-c_\varsigma + \omega_\varsigma) W_\varsigma(t_1) + 1/\eta_\varsigma \left[\sum_{j=1}^n A_{\varsigma j} \sigma_j \eta_j W_j(t_1) + \sum_{j=1}^n B_{\varsigma j} \rho_j \eta_j W_j(t - \tau_j(t_1)) \right] \\ &+ \varepsilon \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} \\ &= (-c_\varsigma + \omega_\varsigma) \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} + 1/\eta_\varsigma \left[\sum_{j=1}^n A_{\varsigma j} \sigma_j \eta_j \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} \right. \\ &+ \left. \sum_{j=1}^n B_{\varsigma j} \rho_j \eta_j \bar{W}(t_0) \exp\{-\varepsilon(t_1 - \tau_j(t_1) - t_0)\} \right] + \varepsilon \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} \\ &= (-c_\varsigma + \omega_\varsigma + \varepsilon) \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} + 1/\eta_\varsigma \left[\sum_{j=1}^n A_{\varsigma j} \sigma_j \eta_j \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} \right. \\ &+ \left. \sum_{j=1}^n B_{\varsigma j} \rho_j \eta_j \bar{W}(t_0) \exp\{-\varepsilon(t_1 - \tau_j(t_1) - t_0)\} \right] \\ &= (-c_\varsigma + \omega_\varsigma + \varepsilon) \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} \\ &+ 1/\eta_\varsigma \left[\sum_{j=1}^n A_{\varsigma j} \sigma_j \eta_j \bar{W}(t_0) + \sum_{j=1}^n B_{\varsigma j} \rho_j \eta_j \bar{W}(t_0) \exp\{\varepsilon \tau_j(t_1)\} \right] \exp\{-\varepsilon(t_1 - t_0)\}. \end{aligned} \tag{18}$$

Moreover, from inequality(15), we have

$$(-c_i + \omega_i + \varepsilon) + 1/\eta_i \left[\sum_{j=1}^n A_{ij} \sigma_j \eta_j + \sum_{j=1}^n B_{ij} \rho_j \eta_j \exp\{\varepsilon \tau_j(t)\} \right] < 0, t \geq t_0 > 0, i = 1, 2, \dots, n,$$

Therefore

$$\begin{aligned} &(-c_i + \omega_i + \varepsilon) \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} \\ &+ 1/\eta_i \left[\sum_{j=1}^n A_{ij} \sigma_j \eta_j + \sum_{j=1}^n B_{ij} \rho_j \eta_j \exp\{\varepsilon \tau_j(t)\} \right] \bar{W}(t_0) \exp\{-\varepsilon(t_1 - t_0)\} < 0, \\ &t \geq t_0 > 0, i = 1, 2, \dots, n, \end{aligned} \tag{19}$$

so it is easy to find that $D^q \tilde{W}_\varsigma(t_1) < 0$, which contradicts $D^q \tilde{W}_\varsigma(t_1) \geq 0$. That shows

$\tilde{W}_i(t) = W_i(t) - \bar{W}(t_0) \exp\{-\varepsilon(t - t_0)\} \leq 0, t \geq t_0 > 0, i = 1, 2, \dots, n$. Thus

$$|e_i(t)| / \eta_i \leq \max_{1 \leq i \leq n} \left\{ \sup_{t_0 - \tau \leq s \leq t_0} |e_i(s)| / \eta_i \right\} \exp\{-\varepsilon(t - t_0)\}, t \geq t_0 > 0, i = 1, 2, \dots, n.$$

It shows

$$|e_i(t)| \leq \eta_i \max_{1 \leq i \leq n} \left\{ \sup_{t_0 - \tau \leq s \leq t_0} |e_i(s)| / \eta_i \right\} \exp\{-\varepsilon(t - t_0)\}, t \geq t_0 > 0, i = 1, 2, \dots, n. \quad (20)$$

This completes the proof.

Example1 Consider two-dimension fractional-order memristor-based neural networks

IV. NUMERICAL RESULTS

In this section, we will give two numerical examples to demonstrate our analysis on exponential synchronization of FMNN.

$$\begin{cases} D^q x_1(t) = -c_1 x_1(t) + a_{11}(x_1(t))f_1(x_1(t)) + a_{12}(x_2(t))f_2(x_2(t)) \\ + b_{11}(x_1(t - \tau_1(t)))g_1(x_1(t - \tau_1(t))) + b_{12}(x_2(t - \tau_2(t)))g_2(x_2(t - \tau_2(t))) + I_1 \\ D^q x_2(t) = -c_2 x_2(t) + a_{21}(x_1(t))f_1(x_1(t)) + a_{22}(x_2(t))f_2(x_2(t)) \\ + b_{21}(x_1(t - \tau_1(t)))g_1(x_1(t - \tau_1(t))) + b_{22}(x_2(t - \tau_2(t)))g_2(x_2(t - \tau_2(t))) + I_2 \end{cases} \quad (21)$$

where $c_1 = c_2 = 1$, $a_{11}(x_1(t)) = 1$, $a_{22}(x_2(t)) = 1.8$,

$$a_{12}(x_2(t)) = \begin{cases} 12, & x_2(t) \leq 0, \\ 14, & x_2(t) > 0, \end{cases} \quad a_{21}(x_1(t)) = \begin{cases} 0.1, & x_1(t) \leq 0, \\ 0.05, & x_1(t) > 0, \end{cases}$$

$$b_{11}(x_1(t - \tau_1(t))) = \begin{cases} -1.2, & x_1(t - \tau_1(t)) \leq 0, \\ -1.5, & x_1(t - \tau_1(t)) > 0, \end{cases} \quad b_{12}(x_2(t - \tau_2(t))) = \begin{cases} 0.8, & x_2(t - \tau_2(t)) \leq 0, \\ 1.0, & x_2(t - \tau_2(t)) > 0, \end{cases}$$

$$b_{21}(x_1(t - \tau_1(t))) = \begin{cases} 0.05, & x_1(t - \tau_1(t)) \leq 0, \\ 0.1, & x_1(t - \tau_1(t)) > 0, \end{cases} \quad b_{22}(x_2(t - \tau_2(t))) = \begin{cases} -1.6, & x_2(t - \tau_2(t)) \leq 0, \\ -1.4, & x_2(t - \tau_2(t)) > 0, \end{cases}$$

where $\tau_j(t) = e^t / (1 + e^t)$, $I = (I_1, I_2)^T = (0, 0)^T$,

$q = 0.92$ and take the activation function as

$$f_i(x_i) = \sin(x_i),$$

$$g_i(x_i) = 0.5(|x_i + 1| - |x_i - 1|), i, j = 1, 2.$$

The model (21) has chaotic attractors with initial values

$$x(0) = (0.45, 0.65)^T \text{ which can be seen in Figure 1.}$$

We consider system (21) as the drive system and corresponding response system is defined as Eq.(7). And for

the controller $u_i(t) = \omega_i(y_i(t) - x_i(t))$, the parameter ω_i is

chosen as $\omega_1 = -9.5$, $\omega_2 = -10.5$. From Theorem 1, when

we take $\varepsilon = 0.7$, $\tau_j(t) = 1$, $\eta_1 = \eta_2 = \rho_1 = \rho_2 =$

$\sigma_1 = \sigma_2 = 0.1$, we can easily know

$$(-c_i + \omega_i + \varepsilon)\eta_i + \sum_{j=1}^n A_{ij}\sigma_j\eta_j + \sum_{j=1}^n B_{ij}\rho_j\eta_j \exp\{\varepsilon\tau_j(t)\} < 0 \quad \omega_1 = -9.5, \omega_2 = -10.5, \text{ we can get}$$

is true when $\omega_1 < -1.703, \omega_2 < -0.232$. So when

$$(-c_1 + \omega_1 + \varepsilon)\eta_1 + A_{11}\sigma_1\eta_1 + A_{12}\sigma_2\eta_2 + B_{11}\rho_1\eta_1 \exp\{\varepsilon\tau_1(t)\} + B_{12}\rho_2\eta_2 \exp\{\varepsilon\tau_2(t)\} = -0.798 < 0,$$

$$(-c_2 + \omega_2 + \varepsilon)\eta_2 + A_{21}\sigma_1\eta_1 + A_{22}\sigma_2\eta_2 + B_{21}\rho_1\eta_1 \exp\{\varepsilon\tau_1(t)\} + B_{22}\rho_2\eta_2 \exp\{\varepsilon\tau_2(t)\} = -1.027 < 0.$$

It satisfies the condition of Theorem 1, then the exponential synchronization of drive-response system is achieved.

When the response system with this controller, we get state trajectories of variable $x_1(t), y_1(t)$ and $x_2(t), y_2(t)$ are depicted in Figure2a and 2b. Moreover, Figure3a and 3b depict the synchronization error curves $e_1(t), e_2(t)$ between the drive system and response system. These numerical simulations show the state trajectories of variable $x_1(t), y_1(t)$ and $x_2(t), y_2(t)$ are synchronous and synchronization error $e_1(t), e_2(t)$ are converge to zero. These prove the correctness of the Theorem1.




Figure 1. The chaotic attractors of fractional-order memristor-based neural networks(18)




Figure 2. Exponential synchronization of state variable with

$$\text{controller } (a : x_1(t), y_1(t), b : x_2(t), y_2(t))$$




Figure 3. Synchronization error between the drive and response system $(a : e_1(t), b : e_2(t))$

Example2 Consider three-dimension fractional-order memristor-based neural networks

$$\begin{cases}
 D^q x_1(t) = -c_1 x_1(t) + a_{11}(x_1(t))f_1(x_1(t)) + a_{12}(x_2(t))f_2(x_2(t)) + a_{13}(x_3(t))f_3(x_3(t)) \\
 + b_{11}(x_1(t - \tau_1(t)))g_1(x_1(t - \tau_1(t))) + b_{12}(x_2(t - \tau_2(t)))g_2(x_2(t - \tau_2(t))) \\
 + b_{13}(x_3(t - \tau_3(t)))g_3(x_3(t - \tau_3(t))) + I_1 \\
 D^q x_2(t) = -c_2 x_2(t) + a_{21}(x_1(t))f_1(x_1(t)) + a_{22}(x_2(t))f_2(x_2(t)) + a_{23}(x_3(t))f_3(x_3(t)) \\
 + b_{21}(x_1(t - \tau_1(t)))g_1(x_1(t - \tau_1(t))) + b_{22}(x_2(t - \tau_2(t)))g_2(x_2(t - \tau_2(t))) \\
 + b_{23}(x_3(t - \tau_3(t)))g_3(x_3(t - \tau_3(t))) + I_2 \\
 D^q x_3(t) = -c_3 x_3(t) + a_{31}(x_1(t))f_1(x_1(t)) + a_{32}(x_2(t))f_2(x_2(t)) + a_{33}(x_3(t))f_3(x_3(t)) \\
 + b_{31}(x_1(t - \tau_1(t)))g_1(x_1(t - \tau_1(t))) + b_{32}(x_2(t - \tau_2(t)))g_2(x_2(t - \tau_2(t))) \\
 + b_{33}(x_3(t - \tau_3(t)))g_3(x_3(t - \tau_3(t))) + I_3
 \end{cases} \tag{22}$$

where $c_1 = c_2 = c_3 = 1$,

$$\begin{aligned}
 a_{11}(x_1(t)) &= \begin{cases} 1, & x_1(t) \leq 0, \\ -1, & x_1(t) > 0, \end{cases} & a_{21}(x_1(t)) &= \begin{cases} 1, & x_1(t) \leq 0, \\ -1, & x_1(t) > 0, \end{cases} & a_{31}(x_1(t)) &= \begin{cases} 1, & x_1(t) \leq 0, \\ -1, & x_1(t) > 0, \end{cases} \\
 a_{12}(x_2(t)) &= \begin{cases} -1, & x_2(t) \leq 0, \\ 1, & x_2(t) > 0, \end{cases} & a_{22}(x_2(t)) &= \begin{cases} 1, & x_2(t) \leq 0, \\ -1, & x_2(t) > 0, \end{cases} & a_{32}(x_2(t)) &= \begin{cases} -1, & x_2(t) \leq 0, \\ 1, & x_2(t) > 0, \end{cases} \\
 a_{13}(x_3(t)) &= \begin{cases} -1, & x_3(t) \leq 0, \\ 1, & x_3(t) > 0, \end{cases} & a_{23}(x_3(t)) &= \begin{cases} 1, & x_3(t) \leq 0, \\ -1, & x_3(t) > 0, \end{cases} & a_{33}(x_3(t)) &= \begin{cases} 1, & x_3(t) \leq 0, \\ -1, & x_3(t) > 0, \end{cases}
 \end{aligned}$$

$$\begin{aligned}
 b_{11}(x_1(t-\tau_1(t))) &= \begin{cases} 1, & x_1(t-\tau_1(t)) \leq 0, \\ -1, & x_1(t-\tau_1(t)) > 0, \end{cases} & b_{12}(x_2(t-\tau_2(t))) &= \begin{cases} -1, & x_2(t-\tau_2(t)) \leq 0, \\ 1, & x_2(t-\tau_2(t)) > 0, \end{cases} \\
 b_{21}(x_1(t-\tau_1(t))) &= \begin{cases} 1, & x_1(t-\tau_1(t)) \leq 0, \\ -1, & x_1(t-\tau_1(t)) > 0, \end{cases} & b_{22}(x_2(t-\tau_2(t))) &= \begin{cases} 1, & x_2(t-\tau_2(t)) \leq 0, \\ -1, & x_2(t-\tau_2(t)) > 0, \end{cases} \\
 b_{31}(x_2(t-\tau_2(t))) &= \begin{cases} 1, & x_2(t-\tau_2(t)) \leq 0, \\ -1, & x_2(t-\tau_2(t)) > 0, \end{cases} & b_{32}(x_2(t-\tau_2(t))) &= \begin{cases} -1, & x_2(t-\tau_2(t)) \leq 0, \\ 1, & x_2(t-\tau_2(t)) > 0, \end{cases} \\
 b_{13}(x_3(t-\tau_3(t))) &= \begin{cases} -1, & x_3(t-\tau_3(t)) \leq 0, \\ 1, & x_3(t-\tau_3(t)) > 0, \end{cases} \\
 b_{23}(x_3(t-\tau_3(t))) &= \begin{cases} 1, & x_3(t-\tau_3(t)) \leq 0, \\ -1, & x_3(t-\tau_3(t)) > 0, \end{cases} \\
 b_{33}(x_3(t-\tau_3(t))) &= \begin{cases} 1, & x_3(t-\tau_3(t)) \leq 0, \\ -1, & x_3(t-\tau_3(t)) > 0. \end{cases}
 \end{aligned}$$

And $\tau_j(t) = e^t / (1 + e^t)$, $I = (I_1, I_2, I_3)^T = (0, 0, 0)^T$

$q = 0.92$ and take the activation function as

$f_i(x_i) = g_i(x_i) = \tanh(x_i), i = 1, 2, 3$. We consider

system(22) as the drive system and the corresponding response system is defined in Eq.(7). And for the controller

$u_i(t) = \omega_i(y_i(t) - x_i(t))$, ω_i is chosen as

$\omega_1 = -9.5, \omega_2 = -10.5, \omega_3 = -11$. From Theorem1, we take

$\varepsilon = 0.7, \tau_j(t) = 1$ and choose $\eta_1 = \eta_2 = 0.1$

$$\begin{aligned}
 (-c_1 + \omega_1 + \varepsilon)\eta_1 + A_{11}\sigma_1\eta_1 + A_{12}\sigma_2\eta_2 + A_{13}\sigma_3\eta_3 + (B_{11}\rho_1\eta_1 + B_{12}\rho_2\eta_2 + B_{13}\rho_3\eta_3)\exp\{\varepsilon\tau_j(t)\} &= -0.89 < 0, \\
 (-c_2 + \omega_2 + \varepsilon)\eta_1 + A_{21}\sigma_1\eta_1 + A_{22}\sigma_2\eta_2 + A_{23}\sigma_3\eta_3 + (B_{21}\rho_1\eta_1 + B_{22}\rho_2\eta_2 + B_{23}\rho_3\eta_3)\exp\{\varepsilon\tau_j(t)\} &= -0.99 < 0, \\
 (-c_3 + \omega_3 + \varepsilon)\eta_1 + A_{31}\sigma_1\eta_1 + A_{32}\sigma_2\eta_2 + A_{33}\sigma_3\eta_3 + (B_{31}\rho_1\eta_1 + B_{32}\rho_2\eta_2 + B_{33}\rho_3\eta_3)\exp\{\varepsilon\tau_j(t)\} &= -1.04 < 0.
 \end{aligned}$$

It suggests the condition of Theorem 1 is satisfied, then drive-response system achieves the synchronization.

$\rho_1 = \rho_2 = \sigma_1 = \sigma_2 = 0.1$. According to

$$A_{ij} = \max\{|\hat{a}_{ij}|, |\check{a}_{ij}|\}, B_{ij} = \max\{|\hat{b}_{ij}|, |\check{b}_{ij}|\}$$

$i, j = 1, 2, 3$ $A_{ij} = B_{ij} = 1$, we can easily know

$$(-c_i + \omega_i + \varepsilon)\eta_i + \sum_{j=1}^n A_{ij}\sigma_j\eta_j + \sum_{j=1}^n B_{ij}\rho_j\eta_j \exp\{\varepsilon\tau_j(t)\} < 0$$

is true when $\omega_i < -0.604$. So when

$\omega_1 = -9.5, \omega_2 = -10.5, \omega_3 = -11$ we can get

When the response system with this controller, we get state trajectories of variable $x_1(t), y_1(t)$ and $x_2(t), y_2(t)$

and $x_3(t), y_3(t)$ are depicted in Figure 4a,4b,4c. Moreover, Figure 5a,5b,5c depict the synchronization error curves $e_1(t), e_2(t), e_3(t)$ between the drive system and response system. It's easy to see that the state trajectories of variable $x_1(t), y_1(t), x_2(t), y_2(t)$ and $x_3(t), y_3(t)$ are synchronous and synchronization error $e_1(t), e_2(t), e_3(t)$ are converge to zero. So the Theorem1 is proved to be correct.

In addition, we choose $\omega_1 = -9.5, \omega_2 = -10.5, \omega_3 = -11$, according to the Theorem1, it needs the following inequalities to hold:

$$\begin{cases} \tau < \frac{1}{\varepsilon} \ln\left(\frac{117}{3} - \frac{10}{3} \varepsilon\right) \\ \tau < \frac{1}{\varepsilon} \ln\left(\frac{112}{3} - \frac{10}{3} \varepsilon\right) \\ \tau < \frac{1}{\varepsilon} \ln\left(\frac{102}{3} - \frac{10}{3} \varepsilon\right) \end{cases}$$

So, we just need $\tau < \frac{1}{\varepsilon} \ln\left(\frac{102}{3} - \frac{10}{3} \varepsilon\right)$ holds. We have the exponential convergence rate $0 < \varepsilon < 1$, figure 6 depicts the relation of time-varying delay τ and exponential convergence rate ε .




Figure 4. Synchronization of state variable with

controller $(a : x_1(t), y_1(t), b : x_2(t), y_2(t), c : x_3(t), y_3(t))$




Figure 5. Synchronization error between the drive and response

$$\text{system } (a: e_1(t), b: e_2(t), c: e_3(t))$$




Figure 6. The relation of time-varying delay τ and exponential convergence rate \mathcal{E} .

V. CONCLUSION

This paper achieves the exponential synchronization of a class of FMNN with time-varying delays by using linear error feedback controller. Based on comparison principle, the new theorem is derived to guarantee the exponential synchronization between the drive system and response system. The methods proposed for synchronization is effective and it is easy to achieve than other complex control methods. Moreover, it can be extended to investigate other dynamical behaviors of fractional-order memristive neural networks, such as realizing the lag synchronization or anti-synchronization of this system based on the suitable controller. These issues will be the topic of future research. Finally, numerical examples are given to illustrate the effectiveness of the proposed theory.

REFERENCES

- [1] L.O. Chua, "Memristor-the missing circuit element," IEEE Trans Circuit Theory, vol.18, pp.507-519, 1971.
- [2] D.B.Strukov, G.S.Snider and D.R.Stewart, "The missing memristor found," Nature, vol.453, pp.80-83, 2008.
- [3] L.O.Chua, "Resistance switching memories are memristors," Applied Physics A Materials Science and Processing, vol.102,pp.765-783, 2011.
- [4] M.J.Sharifiy and Y.M.Banadaki, "General spice models for memristor and application to circuit simulation of memristor-based synapses and memory cells," J Circuit Syst Comp, vol.19, pp.407-424, 2010.

- [5] Y.V.Pershin, V.M.Di, "Experimental demonstration of associative memory with memristive neural networks," *Neural Networks*, vol.23, pp.881-886, 2010.
- [6] M.Itoh and L.O.Chua, "Memristor cellular automata and memristor discrete-time cellular neural networks," *Int J Bifur Chaos*, vol.19, pp. 3605-3656, 2010.
- [7] G.D.Zhang, Y.Shen and J.Sun, "Global exponential stability of a class of memristor-based recurrent neural networks with time-varying delays," *Neurocomputing*, vol.97, pp.149-154, 2012.
- [8] A.L.Wu and Z.G.Zeng, "New global exponential stability results for a memristive neural system with time-varying delays," *Neurocomputing*, vol.144, pp.553-559, 2014.
- [9] A.L.Wu and Z.G.Zeng, "Exponential stabilization of memristive neural networks with time delays," *IEEE Trans on Neural Netw and Learn Syst*, vol.23, pp.1919-1929, 2012.
- [10] A.L.Wu and Z.G.Zeng, "Lagrange stability of neural networks with memristive synapses and multiple delays," *Inf Sci*, vol.280, pp.135-151, 2014.
- [11] G.D.Zhang, Y. Shen, Q.Yin and J.W.Sun, "Global exponential periodicity and stability of a class of memristor-based recurrent neural networks with multiple delays," *Inf Sci*, vol.232, pp.386-396, 2013.
- [12] J.J.Chen, Z.G.Zeng and P. Jiang, "On the periodic dynamics of memristor-based neural networks with time-varying delays," *Inf Sci*, vol.279, pp.358-373, 2014.
- [13] L.Duan and L.H.Huang, "Existence and stability of periodic solution for mixed time-varying delayed neural networks with discontinuous activations," *Neurocomputing*, vol.123, pp.255-265, 2014.
- [14] G.Zhang, J.Hu and Y.Shen, "New results on synchronization control of delayed memristive neural networks," *Nonlinear Dynamics*, vol.81, pp.1167-1178, 2015.
- [15] X.Yang, J.D.Cao and W.Yu, "Exponential synchronization of memristive Cohen-Grossberg neural networks with mixed delays," *Cogn Neurodyn*, vol.8, pp. 239-249, 2014.
- [16] G.D.Zhang and Y. Shen, "Exponential synchronization of delayed memristor-based chaotic neural networks via periodically intermittent control," *Neural Networks*, vol.55, pp.1-10, 2014.
- [17] A.Dai, W.Zhou and Y.Xu, "Adaptive exponential synchronization in mean square for Markovian jumping neutral-type coupled neural networks with time-varying delays by pinning control," *Neurocomputing*, vol.173, pp.809-818, 2016.
- [18] Z.Cai, L.Huang L and L.Zhang, "New conditions on synchronization of memristor-based neural networks via differential inclusions," *Neurocomputing*, vol.186, pp.235-250, 2016.
- [19] J.N.Li, W.D.Bao and S.B.Li, "Exponential synchronization of discrete-time mixed delay neural networks with actuator constraints and stochastic missing data," *Neurocomputing*, vol.207, pp. 700-707, 2016.
- [20] X.Han, H.Wu and B.Fang, "Adaptive Exponential Synchronization of Memristive Neural Networks with mixed time-varying delays," *Neurocomputing*, vol.201, pp.40-50, 2016.
- [21] W.Zhang, C.Li and T.Huang, "Stability and synchronization of memristor-based coupling neural networks with time-varying delays via intermittent control," *Neurocomputing*, vol.173, pp. 1066-1072, 2016.
- [22] A.Abdurahman, H.Jiang and Z.Teng, "Exponential lag synchronization for memristor-based neural networks with mixed time delays via hybrid switching control," *Journal of the Franklin Institute*, vol.353, pp.2859-2880, 2016.
- [23] X.D.Li, R.Rakkiyappan and G.Velmurugan, "Passivity analysis of memristor-based complex-valued neural networks with time-varying delays," *Neural Processing Letters*, vol.42, pp.517-540, 2014.
- [24] L.Duan and L.H.Huang, "Periodicity and dissipativity for memristor-based mixed time-varying delayed neural networks via differential inclusions," *Neural Networks*, vol.57, pp.12-22, 2014.
- [25] Z.Y.Guo, J.Wang J and Z.Yan, "Global exponential dissipativity and stabilization of memristor-based recurrent neural networks with time-varying delays," *Neural Networks*, vol.48, pp.158-172, 2013.
- [26] Z.Y.Guo, J.Wang and Z.Yan, "Attractivity analysis of memristor-based cellular neural networks with time-varying delays," *IEEE Trans on Neural Networks and Learning System*, vol.25, pp.704-717, 2014.
- [27] M.Jiang, S.Wang and J.Mei, "Finite-time synchronization control of a class of memristor-based recurrent neural networks," *Neural Networks*, vol.63, pp.133-140, 2015.
- [28] A.Chandrasekar, A.Rakkiyappan and J.D.Cao, "Synchronization of memristor-based recurrent neural networks with two delay components based on second-order reciprocally convex approach," *Neural Networks*, vol.57, pp.79-93, 2014.
- [29] R.Rakkiyappan, G.Velmurugan and J.D.Cao, "Finite-time stability analysis of fractional-order complex-valued memristor-based neural networks with time delays," *Nonlinear Dynamics*, vol.78, pp.2823-2836, 2014.
- [30] N.Li and J.D.Cao, "New synchronization criteria for memristor-based networks: Adaptive control and feedback control schemes," *Neural Networks*, vol.61, pp.1-9, 2015.
- [31] M.D.Paola, F.P.Pinnola and M.Zingales, "Fractional differential equations and related exact mechanical models," *Computers and Mathematics with Applications*, vol.66, pp. 608-620, 2013.
- [32] V.Lakshmikantham and A.S.Vatsala, "Basic theory of fractional differential equations," *Nonlinear Analysis Theory Methods and Applications*, vol.69, pp.2677-2682, 2008.
- [33] H.B.Bao and J.D.Cao, "Projective synchronization of fractional-order memristor-based neural networks," *Neural Networks*, vol.63, pp.1-9, 2015.
- [34] G.Velmurugan, R.Rakkiyappan and J.D.Cao, "Finite-time synchronization of fractional-order memristor-based neural networks with time delays," *Nonlinear Dynamics*, vol.73, pp.36-46, 2016.
- [35] G.Velmurugan and R.Rakkiyappan, "Hybrid projective synchronization of fractional-order memristor-based neural networks with time delays," *Nonlinear Dynamics*, vol.11, pp.1-14, 2015.
- [36] Bao H, Ju HP, Cao JD. Adaptive synchronization of fractional-order memristor-based neural networks with time delay [J]. *Nonlinear Dynamics*, 2015, 82:1-12.
- [37] L.Chen, R.Wu and J.D.Cao, "Stability and synchronization of memristor-based fractional-order delayed neural networks," *Neural Networks the Official Journal of the International Neural Network Society*, vol.71, pp.37-44, 2015.
- [38] Y.Gu, Y.Yu and H.Wang, "Synchronization for fractional-order time-delayed memristor-based neural networks with parameter uncertainty," *Journal of the Franklin Institute*, vol.353, pp.3657-3684, 2016.
- [39] A.Abdurahman, H.Jiang and Z.Teng, "Finite-time synchronization for memristor-based neural networks with time-varying delays," *Neural Networks*, vol.69, pp.20-28, 2015.
- [40] X.Yang, J.Cao and W.Yu, "Exponential synchronization of memristive Cohen-Grossberg neural networks with mixed delays," *Cognitive Neurodynamics*, vol.8, pp.239-249, 2014.
- [41] J.Perez-Cruz, E.Portilla-Flores and P.Niño-Suarez, "Design of a nonlinear controller and its intelligent optimization for exponential synchronization of a new chaotic system," *Optik -International Journal for Light and Electron Optics*, vol.130, pp.201-212, 2016.
- [42] Q.Gan, "Exponential synchronization of stochastic neural networks with leakage delay and reaction-diffusion terms via periodically intermittent control," *Neural Processing Letters*, vol.22, pp.393-410, 2013.
- [43] S.Tyagi, S. Abbas and M.Kirane, "Global asymptotic and exponential synchronization of ring neural network with reaction-diffusion term and unbounded delay," *Neural Computing and Applications*, pp.1-15, 2016.
- [44] J.P.Aubin and A. Cellina, "Differential inclusions set-valued maps and viability theory," *Acta Applicandae Mathematica*, vol.6, pp.215-217, 1986.